




HOLE CUTTER

CODE	SIZE
120.81-37-10	3/8" ww
120.81-37-20	M11



OCTA-MITTER

CODE	DESCRIPTION
120.90-50-05	Barbed
120.90-50-10	Threaded
120.90-55-00	On Stake

Adjustable. Unscrew the cap one click at a time to increase the flow. Screwing the cap completely down will stop the flow. Adjustable from 0-40 L/h.



MAXIMA

CODE	DESCRIPTION
120.90-60-10	On Stake - End Line

Adjustable from 0-90 L/h.



BLANKING PLUG

CODE	DESCRIPTION
120.81-70-00M	M11 Blanking Plug
120.81-70-00W	3/8" ww Blanking Plug

IN LINE DRIPPER

CODE	OUTPUT L/h
120.90-20-02	2



ADAPTOR


CODE	"F"	"M"	LENGTH
120.81-80-03	3/8" ww	3/8" ww	6cm
120.81-80-04	M11	M11	6cm



SPIKE FOR MINI SPRINKLERS

Very strong and flexible for use with all mini sprinklers.

CODE
120.64S00-00



ASSEMBLY INSERT

CODE	DESCRIPTION
120.81-81-06	3/8" ww 11.5mm Hard Type
120.81-81-07	3/8" ww 11.2mm Soft Type



LEADS FOR MINI SPRINKLERS SPIKE

Leads with bayonet connectors for use with above spike.

CODE	SIZE
120.64L00-00	50cm
120.64L00100	1M

ANTI DRIP VALVE

CODE	Female	Male
120.81-81-10	3/8" ww	3/8" ww
120.81-81-20	M11	M11



TUBE FOR MINI SPRINKLERS

Coil of Tube for Mini Sprinklers.


CODE	SIZE
120.64P00200	200M

This is a selection of our irrigation products. For a full listing see the Irrigation section on our website www.dekerhort.ie

Ideal for Horticulture, Viticulture, Orchards, Greenhouses, Nurseries, Gardens and Flower Beds.

MIST SPRAYER


For irrigation in greenhouses and nurseries. Produces very fine drops and enables excellent water distribution.



CODE	COLOUR	LTRS/HR	DIAM COVERAGE (M)
120.64-BO-MB	Black	33	2.0
120.64-BO-MR	Red	61	2.4
120.64-BO-MO	Orange	75	2.6
120.64-BO-ML	Blue	103	3.3
120.64-BO-MG	Green	166	4.4

SPRAYER


For orchards and gardens. The design enables efficient spraying of wide ranges. Special device seals the nozzle at the end of irrigation.



CODE	COLOUR	LTRS/HR	DIAM COVERAGE (M)
120.64-BO-SR	Red	61	3.2
120.64-BO-SL	Blue	103	3.6
120.64-BO-SY	Yellow	128	3.7

HALF CIRCLE SPRAYER


For irrigation in greenhouses and gardens. Fitted for spraying along the walls of glasshouse, gardens and lawn edges.



CODE	COLOUR	LTRS/HR	DIAM COVERAGE (M)
120.64-BO-HR	Red	61	2.9
120.64-BO-HL	Blue	103	3.1
120.64-BO-HY	Yellow	128	3.3
120.64-BO-HG	Green	166	3.4

MEDIUM RANGE ROTOR


For gardens. Enables middle range reach with mini sprinklers positioned at wide distances.



CODE	COLOUR	LTRS/HR	DIAM COVERAGE (M)
120.64-BO-QR	Red	61	7.0
120.64-BO-QG	Green	87	8.5

EXTRA RANGE ROTOR


For orchards and nurseries. Enables excellent distribution with sprinklers positioned at very wide distances.



CODE	COLOUR	LTRS/HR	DIAM COVERAGE (M)
120.64-BO-RL	Blue	103	9.4
120.64-BO-RY	Yellow	128	9.6
120.64-BO-RG	Green	166	10.2

UPSIDE DOWN ROTOR


For overhead irrigation in greenhouses. Can be fitted with the drainage preventer to avoid dripping when the system is switched off.



CODE	COLOUR	LTRS/HR	DIAM COVERAGE (M)
120.64-BO-UR	Red	61	8.5
120.64-BO-UL	Blue	103	9.8
120.64-BO-UY	Yellow	128	10.0
120.64-BO-UG	Green	166	10.4

MEDIUM RANGE ROTOR-INVERTED

For overhead irrigation in greenhouses. Can be fitted with the drainage preventer to avoid dripping when the system is switched off.




CODE	COLOUR	LTRS/HR	DIAM COVERAGE (M)
120.64-BO-OR	Red	61	6.4
120.64-BO-OG	Green	87	6.4

SUPER LPD BAYONET

Prevents drainage through emitters. High and low opening and closing pressure. Keeps systems filled with water under pressure. Allow all units to start-up or shut-down simultaneously.


Opening pressure: 1.4 bar
Closing pressure: 0.6 bar

CODE	CONNECTION
120.64-ML-10	M11
120.64-WL-10	3/8"
120.64-BL-10	Barbed
120.64-OL-10	Bayonet



BASES & CONNECTORS

CODE	DESCRIPTION
120.64-TO-00	1/2" Bayonet Base
120.64-WO-00	3/8" ww Bayonet Base
120.64-FO-00	Barbed Bayonet
120.64-MO-00	Male Bayonet
120.64-PO-00	Plug Bayonet
120.64-CO-00	Barbed Connector



This is a selection of our irrigation products. For a full listing see the Irrigation section on our website www.dekerhort.ie

NAAN 501 U

Outstandingly Reliable

Extra range, turbo hammer, low capacity sprinkler, with excellent water distribution

Ideal for vegetables, nurseries, parks and gardens

Turbo operation ensures uniformity of watered areas, the 501 U had very low precipitation rates and fine drops for sensitive crop germination.

501U on Field Stand 1

Complete with 1 metre galvanised rod, 8mm hose and connectors.

Use with Field Stand No. 1

2.8mm use with Field Stand No. 2



CODE	BSP "F	NOZZLE SIZE
120.60-05-01-18	1/2	1.8
120.60-05-01-20	1/2	2.0
120.60-05-01-28	1/2	2.8

NOZZLE SIZE (MM)	PRESSURE IN BAR	OUTPUT m ³ /hr
1.8	2.0	0.160
2.0	2.0	0.182
2.8	2.0	0.275

FIELD STANDS

No 1 – 8mm Hose 1/2" M Top

No 2 – 12mm Hose 1/2" F Top



CODE	RISER BORE	RISER HEIGHT
120.68-00-50	1/2" M	1M
120.68-30-52	1/2" F	1M
120.68-30-55	Plug for No. 2 Stand	

ROTOFRAME

Unique lower pressure sprinkler featuring butterfly type rotating spinner and rotary frame which provides even water distribution.



CODE	BSP "F	NOZZLE SIZE
120.59-00-10	1/2	4.5
120.59-00-11	3/4	4.5

NOZZLE SIZE (MM)	PRESSURE IN BAR	OUTPUT m ³ /hr
4.5	1.0	0.66
4.5	2.0	0.95

PART CIRCLE METAL SPRINKLER

Part circle brass sprinkler with fingertip adjustment for watering full 25m circle or any part of it. Baffle deflector controls height of jet and diameter of circle. Diffuser pin adjusts from heavy to fine stream.



CODE	BSP "M	NOZZLE SIZE
120.60-04-23-40	1/2	4.0

NOZZLE SIZE (MM)	PRESSURE IN BAR	OUTPUT m ³ /hr
4.0	2.0	0.85

PART CIRCLE PLASTIC SPRINKLER

Part circle plastic sprinkler with ratchet fingertip adjustment for watering full circle or any part of it. Baffle deflector adjustable by a regulator-nut allowing change of both height and range of jet. Diffuser pin adjusts from heavy to fine stream.



CODE	BSP "M	NOZZLE SIZE
120.60-04-27-28	1/2	2.8
120.60-04-27-40	1/2	4.0

NOZZLE SIZE (MM)	PRESSURE IN BAR	OUTPUT m ³ /hr
2.8	2.0	0.45
4.0	2.0	0.85

This is a selection of our irrigation products. For a full listing see the Irrigation section on our website www.dekerhort.ie



METAL SLED BASE

Made from coated steel complete with a riser. Supplied complete with a quick coupling to connect to any Geka type fitting. 68-25-15 comes with a T connection.




CODE	RISER BORE	RISER HEIGHT
120.68-25-10	3/4"	30cm
120.68-25-05	1/2"	30cm
120.68-25-15	3/4"	30cm

COBRA SPRINKLER BASE

Made from heavy-duty steel tube, powder coated in dark green. Coiled construction of the base means it should not tilt or tip over.

CODE	RISER BORE	RISER HEIGHT
120.68-50-10	3/4"	30cm



PLASTIC SLED BASE

Supplied with 'Quick' bayonet connector & 3/4" M capped outlet.

CODE	RISER BORE
120.68-00-30	1/2" F



SPIKE BASE


Supplied with 'Quick' bayonet connector.

CODE	DESCRIPTION	RISER BORE
120.68-00-16	Metal	1/2" F
120.68-00-10	Plastic	1/2" F

STANDPIPES

These standpipes are made of galvanized steel. 1M high riser, in a 1" tee with two quick couplings. Comes complete with a galvanised ground spike and stabilising plate.


CODE	RISER BORE	RISER HEIGHT
120.68-20-12	1/2"	1M
120.68-20-19	3/4"	1M



FREESTANDING

The Freestanding is similar to the above but comes with a cross base allowing the standpipe to be used on hard surfaces.

CODE	RISER BORE	RISER HEIGHT
120.68-21-12	1/2"	1M
120.68-21-19	3/4"	1M



FREESTANDING BASE

Freestanding base only for ease of transport. Use risers below.

CODE	TEE SIZE
120.68-21B12	1/2"
120.68-21B19	3/4"



RISERS

Galvanised tube threaded both ends for use with freestanding base or to extend height of standpipes

CODE	RISER BORE	RISER HEIGHT
120.68-22-12	1/2"	1/2 M
120.68-22-19	3/4"	1/2 M
120.68-23-12	1/2"	1M
120.68-23-19	3/4"	1M

TRIPOD

CODE	RISER BORE
120.68-40-19	3/4" M
120.68-40-25	1" M



This is a selection of our irrigation products. For a full listing see the Irrigation section on our website www.dekerhort.ie