



Most PVC fittings have the following marks:

Name: VDL
 Material: PVCh
 Size: e.g. 40 x 1
 Pressure: PN16 (16 Bar)
 All catalogue numbers and descriptions in **bold type** are 16 Bar rated, all others are 10 Bar rated unless otherwise stated.



PVC PIPE

| CODE | SIZE (MM) | WALL FEMALE | DIAM (MM) | LENGTH | PRESSURE IN BAR | |
|-----------------|-----------|-------------|-----------|--------|-----------------|------------------------|
| 120.83-25-13 | 25 | 1.25 | 10 | 5.04 | 10 | |
| 120.83-32-18 | 32 | 1.8 | 10 | 5.04 | 10 | |
| 120.83-32-18-W3 | 32 | 1.8 | 10 | 4.54 | 10 | Drilled 3/8"ww at 1.5m |
| 120.83-32-18-W5 | 32 | 1.8 | 10 | 5.04 | 10 | Drilled 3/8"ww at 1.0m |
| 120.83-40-20 | 40 | 2.0 | 10 | 5.0 | 10 | |
| 120.83-50-24 | 50 | 2.4 | 10 | 5.0 | 10 | |
| 120.83-63-24 | 63 | 2.4 | 10 | 5.0 | 10 | |
| 120.83-75-29 | 75 | 2.9 | 10 | 5.0 | 10 | |
| 120.83-90-35 | 90 | 3.5 | 10 | 5.0 | 10 | |
| 120.83110-42 | 110 | 4.2 | 10 | 5.0 | 10 | |
| 120.83160-62 | 160 | 6.2 | 10 | 5.0 | 10 | |

REDUCING BUSH

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-14-10 | 20 | 16 |
| 120.80-14-20 | 25 | 16 |
| 120.80-14-21 | 25 | 20 |
| 120.80-14-30 | 32 | 16 |
| 120.80-14-31 | 32 | 20 |
| 120.80-14-32 | 32 | 25 |
| 120.80-14-41 | 40 | 20 |
| 120.80-14-42 | 40 | 25 |
| 120.80-14-43 | 40 | 32 |
| 120.80-14-52 | 50 | 25 |
| 120.80-14-53 | 50 | 32 |
| 120.80-14-54 | 50 | 40 |
| 120.80-14-63 | 63 | 32 |
| 120.80-14-64 | 63 | 40 |
| 120.80-14-65 | 63 | 50 |
| 120.80-14-73 | 75 | 32 |
| 120.80-14-74 | 75 | 40 |
| 120.80-14-75 | 75 | 50 |
| 120.80-14-76 | 75 | 63 |
| 120.80-14-95 | 90 | 50 |
| 120.80-14-96 | 90 | 63 |
| 120.80-14-97 | 90 | 75 |
| 120.80-14117 | 110 | 75 |
| 120.80-14119 | 110 | 90 |
| 120.80-14121 | 125 | 110 |
| 120.80-14161 | 160 | 125 |



SOCKET

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-05-02 | 10 | 10 |
| 120.80-05-04 | 12 | 12 |
| 120.80-05-00 | 16 | 16 |
| 120.80-05-11 | 20 | 20 |
| 120.80-05-22 | 25 | 25 |
| 120.80-05-33 | 32 | 32 |
| 120.80-05-44 | 40 | 40 |
| 120.80-05-55 | 50 | 50 |
| 120.80-05-66 | 63 | 63 |
| 120.80-05-77 | 75 | 75 |
| 120.80-05-99 | 90 | 90 |
| 120.80-05110 | 110 | 110 |
| 120.80-05125 | 125 | 125 |
| 120.80-05160 | 160 | 160 |



HEXAGON ADAPTOR

| CODE | DIAM (MM) | BSP" Male |
|--------------|-----------|-----------|
| 120.80-23-01 | 16 | 1/2 |
| 120.80-23-11 | 20 | 1/2 |
| 120.80-23-12 | 20 | 3/4 |
| 120.80-23-21 | 25/32 | 1/2 |
| 120.80-23-22 | 25/32 | 3/4 |
| 120.80-23-23 | 25/32 | 1 |
| 120.80-23-31 | 32/40 | 1/2 |
| 120.80-23-32 | 32/40 | 3/4 |
| 120.80-23-33 | 32/40 | 1 |
| 120.80-23-34 | 32/40 | 1 1/4 |
| 120.80-23-43 | 40/50 | 1 |
| 120.80-23-44 | 40/50 | 1 1/4 |
| 120.80-23-45 | 40/50 | 1 1/2 |
| 120.80-23-53 | 50/63 | 1 |
| 120.80-23-54 | 50/63 | 1 1/4 |
| 120.80-23-55 | 50/63 | 1 1/2 |
| 120.80-23-56 | 50/63 | 2 |
| 120.80-23-64 | 63/75 | 1 1/4 |
| 120.80-23-65 | 63/75 | 1 1/2 |
| 120.80-23-66 | 63/75 | 2 |
| 120.80-23-67 | 63/75 | 2 1/2 |
| 120.80-23-76 | 75/90 | 2 |
| 120.80-23-77 | 75/90 | 2 1/2 |
| 120.80-23-78 | 75/90 | 3 |
| 120.80-23-98 | 90/110 | 3 |
| 120.80-23-99 | 90/110 | 4 |
| 120.80-23118 | 110 | 3 |
| 120.80-23119 | 110 | 4 |



SOCKET ADAPTOR

| CODE | DIAM (MM) | BSP" Female |
|--------------|-----------|-------------|
| 120.80-20-00 | 16 | 3/8 |
| 120.80-20-11 | 20 | 1/2 |
| 120.80-20-21 | 25 | 1/2 |
| 120.80-20-22 | 25 | 3/4 |
| 120.80-20-31 | 32 | 1/2 |
| 120.80-20-32 | 32 | 3/4 |
| 120.80-20-33 | 32 | 1 |
| 120.80-20-43 | 40 | 1 |
| 120.80-20-44 | 40 | 1 1/4 |
| 120.80-20-54 | 50 | 1 1/4 |
| 120.80-20-55 | 50 | 1 1/2 |
| 120.80-20-65 | 63 | 1 1/2 |
| 120.80-20-66 | 63 | 2 |
| 120.80-20-77 | 75 | 2 1/2 |
| 120.80-20-98 | 90 | 3 |
| 120.80-20119 | 110 | 4 |



All prices are Ex Works and Exclude VAT

For larger quantity prices, please contact our Sales Office on: 046 943 1422

t: +353 46 943 1422 f: +353 46 943 7692 e: sales@dekerhort.ie w: www.dekerhort.ie



REDUCING BUSH

| CODE | DIAM (MM) | BSP" Female |
|--------------|-----------|-------------|
| 120.80-17-10 | 20 | 1/4 |
| 120.80-17-21 | 25 | 1/2 |
| 120.80-17-31 | 32 | 1/2 |
| 120.80-17-32 | 32 | 3/4 |
| 120.80-17-42 | 40 | 3/4 |
| 120.80-17-43 | 40 | 1 |
| 120.80-17-53 | 50 | 1 |
| 120.80-17-54 | 50 | 1 1/4 |
| 120.80-17-64 | 63 | 1 1/4 |
| 120.80-17-65 | 63 | 1 1/2 |
| 120.80-17-75 | 75 | 1 1/2 |
| 120.80-17-76 | 75 | 2 |



TEE X MALE TAKE OFF

| CODE | DIAM (MM) | BSP" Male | DIAM (MM) |
|--------------|-----------|-----------|-----------|
| 120.80-35-12 | 20 | 3/4 | 20 |
| 120.80-35-22 | 25 | 3/4 | 25 |
| 120.80-35-23 | 25 | 1 | 25 |
| 120.80-35-32 | 32 | 3/4 | 32 |
| 120.80-35-33 | 32 | 1 | 32 |
| 120.80-35-34 | 32 | 1 1/4 | 32 |
| 120.80-35-43 | 40 | 1 | 40 |
| 120.80-35-44 | 40 | 1 1/4 | 40 |
| 120.80-35-45 | 40 | 1 1/2 | 40 |
| 120.80-35-53 | 50 | 1 | 50 |
| 120.80-35-54 | 50 | 1 1/4 | 50 |
| 120.80-35-55 | 50 | 1 1/2 | 50 |
| 120.80-35-63 | 63 | 1 | 63 |
| 120.80-35-64 | 63 | 1 1/4 | 63 |
| 120.80-35-65 | 63 | 1 1/2 | 63 |
| 120.80-35-66 | 63 | 2 | 63 |
| 120.80-35-74 | 75 | 1 1/4 | 75 |
| 120.80-35-76 | 75 | 2 | 75 |



REDUCING TEE

| CODE | DIAM (MM) | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|-----------|
| 120.80-33-21 | 25 | 20 | 25 |
| 120.80-33-31 | 32 | 20 | 32 |
| 120.80-33-32 | 32 | 25 | 32 |
| 120.80-33-42 | 40 | 25 | 40 |
| 120.80-33-43 | 40 | 32 | 40 |
| 120.80-33-52 | 50 | 25 | 50 |
| 120.80-33-53 | 50 | 32 | 50 |
| 120.80-33-54 | 50 | 40 | 50 |
| 120.80-33-62 | 63 | 25 | 63 |
| 120.80-33-63 | 63 | 32 | 63 |
| 120.80-33-64 | 63 | 40 | 63 |
| 120.80-33-65 | 63 | 50 | 63 |
| 120.80-33-73 | 75 | 32 | 75 |
| 120.80-33-74 | 75 | 40 | 75 |
| 120.80-33-75 | 75 | 50 | 75 |
| 120.80-33-76 | 75 | 63 | 75 |
| 120.80-33-93 | 90 | 32 | 90 |
| 120.80-33-95 | 90 | 50 | 90 |
| 120.80-33-97 | 90 | 75 | 90 |
| 120.80-33113 | 110 | 32 | 110 |
| 120.80-33115 | 110 | 50 | 110 |
| 120.80-33117 | 110 | 75 | 110 |
| 120.80-33119 | 110 | 90 | 110 |



TEE

| CODE | DIAM (MM) | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|-----------|
| 120.80-31-02 | 10 | 10 | 10 |
| 120.80-31-04 | 12 | 12 | 12 |
| 120.80-31-00 | 16 | 16 | 16 |
| 120.80-31-11 | 20 | 20 | 20 |
| 120.80-31-22 | 25 | 25 | 25 |
| 120.80-31-33 | 32 | 32 | 32 |
| 120.80-31-44 | 40 | 40 | 40 |
| 120.80-31-55 | 50 | 50 | 50 |
| 120.80-31-66 | 63 | 63 | 63 |
| 120.80-31-77 | 75 | 75 | 75 |
| 120.80-31-99 | 90 | 90 | 90 |
| 120.80-31110 | 110 | 110 | 110 |
| 120.80-31125 | 125 | 125 | 125 |
| 120.80-31160 | 160 | 160 | 160 |



45° TEE

| CODE | DIAM (MM) | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|-----------|
| 120.80-34-33 | 32 | 32 | 32 |
| 120.80-34-44 | 40 | 40 | 40 |
| 120.80-34-55 | 50 | 50 | 50 |
| 120.80-34-66 | 63 | 63 | 63 |
| 120.80-34-77 | 75 | 75 | 75 |



TEE X FEMALE TAKE OFF

| CODE | DIAM (MM) | BSP" Female | DIAM (MM) |
|--------------|-----------|-------------|-----------|
| 120.80-39-11 | 20 | 1/2 | 20 |
| 120.80-39-22 | 25 | 3/4 | 25 |
| 120.80-39-33 | 32 | 1 | 32 |
| 120.80-39-44 | 40 | 1 1/4 | 40 |
| 120.80-39-55 | 50 | 1 1/2 | 50 |
| 120.80-39-66 | 63 | 2 | 63 |

7.5 BAR 2/3 PLAIN UNION

| CODE | DIAM (MM) | BSP" Female |
|--------------|-----------|-------------|
| 120.80-71-33 | 32 | 1 1/4 |
| 120.80-71-35 | UNION | SEAL |



3/3 SOCKETED UNION

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-72-22 | 25 | 25 |
| 120.80-72-33 | 32 | 32 |
| 120.80-72-44 | 40 | 40 |
| 120.80-72-55 | 50 | 50 |



2/3 SOCKETED UNION

| CODE | DIAM (MM) | BSP" Female |
|--------------|-----------|-------------|
| 120.80-73-23 | 25 | 1 |
| 120.80-73-33 | 32 | 1 |
| 120.80-73-34 | 32 | 1 1/4 |
| 120.80-73-55 | 50 | 1 1/2 |
| 120.80-73-56 | 50 | 2 |



UNION

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-74-04 | 12 | 12 |
| 120.80-74-00 | 16 | 16 |
| 120.80-74-11 | 20 | 20 |
| 120.80-74-22 | 25 | 25 |
| 120.80-74-33 | 32 | 32 |
| 120.80-74-44 | 40 | 40 |
| 120.80-74-55 | 50 | 50 |
| 120.80-74-66 | 63 | 63 |
| 120.80-74-77 | 75 | 75 |
| 120.80-74-99 | 90 | 90 |
| 120.80-74111 | 110 | 110 |



UNION

| CODE | DIAM (MM) | BSP" Female |
|--------------|-----------|-------------|
| 120.80-76-11 | 20 | 1/2 |
| 120.80-76-22 | 25 | 3/4 |
| 120.80-76-33 | 32 | 1 |
| 120.80-76-44 | 40 | 1 1/4 |
| 120.80-76-55 | 50 | 1 1/2 |
| 120.80-76-66 | 63 | 2 |



UNION

| CODE | DIAM (MM) | BSP" Male |
|--------------|-----------|-----------|
| 120.80-78-11 | 20 | 1/2 |
| 120.80-78-22 | 25 | 3/4 |
| 120.80-78-33 | 32 | 1 |
| 120.80-78-44 | 40 | 1/4 |
| 120.80-78-55 | 50 | 1 1/2 |
| 120.80-78-66 | 63 | 2 |



CROSS

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-62-11 | 20 | 20 |
| 120.80-62-22 | 25 | 25 |
| 120.80-62-33 | 32 | 32 |
| 120.80-62-44 | 40 | 40 |
| 120.80-62-55 | 50 | 50 |
| 120.80-62-66 | 63 | 63 |
| 120.80-62-77 | 75 | 75 |
| 120.80-62-99 | 90 | 90 |



REDUCING CROSS

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-64-43 | 40 | 32 |
| 120.80-64-53 | 50 | 32 |



| CODE | DIAM (MM) |
|--------------|-----------|
| 120.80-67-02 | 10 |
| 120.80-67-04 | 12 |
| 120.80-67-00 | 16 |
| 120.80-67-11 | 20 |
| 120.80-67-22 | 25 |
| 120.80-67-33 | 32 |
| 120.80-67-44 | 40 |
| 120.80-67-55 | 50 |
| 120.80-67-66 | 63 |
| 120.80-67-77 | 75 |
| 120.80-67-99 | 90 |
| 120.80-67110 | 110 |
| 120.80-67125 | 125 |
| 120.80-67160 | 160 |

CAP



| CODE | DIAM (MM) |
|--------------|--------------|
| 120.80-69-11 | 20 (x 1/2) |
| 120.80-69-22 | 25 (x 3/4) |
| 120.80-69-33 | 32 (x 1) |
| 120.80-69-34 | 32 (x 1 1/4) |
| 120.80-69-44 | 40 (x 1 1/4) |

END SET



| CODE | DIAM (MM) | DIAM" Hose |
|--------------|-----------|------------|
| 120.80-66-00 | 12 | 1/2 |
| 120.80-66-01 | 16 | 5/8 |
| 120.80-66-12 | 20 | 3/4 |
| 120.80-66-23 | 25 | 1 |
| 120.80-66-34 | 32 | 1 1/4 |
| 120.80-66-45 | 40 | 1 1/2 |
| 120.80-66-56 | 50 | 2 |

HOSE ADAPTOR



7.5 BAR 3/3 SOCKETED UNION

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-71-30 | 32 | 32 |



7.5 BAR 2/3 SOCKETED UNION

| CODE | DIAM (MM) | BSP" Female |
|--------------|-----------|-------------|
| 120.80-71-32 | 32 | 1 1/4 |



All prices are Ex Works and Exclude VAT

For larger quantity prices, please contact our Sales Office on: 046 943 1422

t: +353 46 943 1422 f: +353 46 943 7692 e: sales@dekerhort.ie w: www.dekerhort.ie



ELBOW X MALE TAKE OFF

| CODE | DIAM (MM) | BSP" Male |
|--------------|-----------|-----------|
| 120.80-46-12 | 20 | 3/4 |
| 120.80-46-23 | 25 | 1 |
| 120.80-46-32 | 32 | 3/4 |
| 120.80-46-33 | 32 | 1 |
| 120.80-46-34 | 32 | 1 1/4 |
| 120.80-46-44 | 40 | 1 1/4 |
| 120.80-46-54 | 50 | 1 1/4 |



MALE X PLAIN X MALE TEE

| CODE | BSP" Male | DIAM (MM) | BSP" Male |
|--------------|-----------|-----------|-----------|
| 120.80-36-33 | 1 | 32 | 1 |
| 120.80-36-43 | 1 1/4 | 32 | 1 1/4 |
| 120.80-36-44 | 1 1/4 | 40 | 1 1/4 |



ELBOW X FEMALE TAKE OFF

| CODE | DIAM (MM) | BSP" Female |
|--------------|-----------|-------------|
| 120.80-48-11 | 20 | 1/2 |
| 120.80-48-22 | 25 | 3/4 |
| 120.80-48-33 | 32 | 1 |
| 120.80-48-44 | 40 | 1 1/4 |
| 120.80-48-55 | 50 | 1 1/2 |
| 120.80-48-66 | 63 | 2 |



90° ELBOW

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-42-02 | 10 | 10 |
| 120.80-42-04 | 12 | 12 |
| 120.80-42-00 | 16 | 16 |
| 120.80-42-11 | 20 | 20 |
| 120.80-42-22 | 25 | 25 |
| 120.80-42-33 | 32 | 32 |
| 120.80-42-44 | 40 | 40 |
| 120.80-42-55 | 50 | 50 |
| 120.80-42-66 | 63 | 63 |
| 120.80-42-77 | 75 | 75 |
| 120.80-42-99 | 90 | 90 |
| 120.80-42110 | 110 | 110 |
| 120.80-42125 | 125 | 125 |
| 120.80-42160 | 160 | 160 |



90° BEND

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-55-22 | 25 | 25 |
| 120.80-55-33 | 32 | 32 |
| 120.80-55-44 | 40 | 40 |
| 120.80-55-55 | 50 | 50 |
| 120.80-55-66 | 63 | 63 |
| 120.80-55-77 | 75 | 75 |
| 120.80-55-99 | 90 | 90 |
| 120.80-55110 | 110 | 110 |
| 120.80-55160 | 160 | 160 |



45° ELBOW

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-51-04 | 12 | 12 |
| 120.80-51-00 | 16 | 16 |
| 120.80-51-11 | 20 | 20 |
| 120.80-51-22 | 25 | 25 |
| 120.80-51-33 | 32 | 32 |
| 120.80-51-44 | 40 | 40 |
| 120.80-51-55 | 50 | 50 |
| 120.80-51-66 | 63 | 63 |
| 120.80-51-77 | 75 | 75 |
| 120.80-51-99 | 90 | 90 |
| 120.80-51110 | 110 | 110 |
| 120.80-51125 | 125 | 125 |
| 120.80-51160 | 160 | 160 |



45° BEND

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-57-33 | 32 | 32 |
| 120.80-57-55 | 50 | 50 |
| 120.80-58-55 | 50 | 50 |
| 120.80-58-66 | 63 | 63 |
| 120.80-58-77 | 75 | 75 |
| 120.80-58-99 | 90 | 90 |
| 120.80-58110 | 110 | 110 |



REDUCING ELBOW

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-44-43 | 40 | 32 |
| 120.80-44-53 | 50 | 32 |
| 120.80-44-54 | 50 | 40 |



S-BEND

| CODE | DIAM (MM) | DIAM (MM) |
|--------------|-----------|-----------|
| 120.80-60-33 | 32 | 32 |
| 120.80-60-55 | 50 | 50 |



SOCKET

| CODE | BSP" Female | BSP" Female |
|--------------|-------------|-------------|
| 120.80-85-00 | 3/8 | 3/8 |
| 120.80-85-11 | 1/2 | 1/2 |
| 120.80-85-13 | 1/2 | 1/4 |
| 120.80-85-22 | 3/4 | 3/4 |
| 120.80-85-33 | 1 | 1 |
| 120.80-85-44 | 1 1/4 | 1 1/4 |
| 120.80-85-55 | 1 1/2 | 1 1/2 |
| 120.80-85-66 | 2 | 2 |



NIPPLE

| CODE | BSP" Male | BSP" Male |
|--------------|-----------|-----------|
| 120.80-87-00 | 3/8 | 1/4 |
| 120.80-87-01 | 3/8 | 3/8 |
| 120.80-87-10 | 1/2 | 3/8 |
| 120.80-87-11 | 1/2 | 1/2 |
| 120.80-87-21 | 3/4 | 1/2 |
| 120.80-87-22 | 3/4 | 3/4 |
| 120.80-87-32 | 1 | 3/4 |
| 120.80-87-33 | 1 | 1 |
| 120.80-87-43 | 1 1/4 | 1 |
| 120.80-87-44 | 1 1/4 | 1 1/4 |
| 120.80-87-54 | 1 1/2 | 1 1/4 |
| 120.80-87-55 | 1 1/2 | 1 1/2 |
| 120.80-87-65 | 2 | 1 1/2 |
| 120.80-87-66 | 2 | 2 |
| 120.80-87-88 | 3 | 3 |



CAP

| CODE | BSP" Female |
|--------------|-------------|
| 120.80-89-00 | 3/8 |
| 120.80-89-11 | 1/2 |
| 120.80-89-22 | 3/4 |
| 120.80-89-33 | 1 |
| 120.80-89-44 | 1 1/4 |
| 120.80-89-55 | 1 1/2 |
| 120.80-89-66 | 2 |
| 120.80-89-77 | 2 1/2 |
| 120.80-89-88 | 3 |



CAP WASHER

| CODE | BSP" Female |
|--------------|-------------|
| 120.80-90-11 | 1/2 |
| 120.80-90-22 | 3/4 |
| 120.80-90-33 | 1 |
| 120.80-90-44 | 1 1/4 |
| 120.80-90-55 | 1 1/2 |
| 120.80-90-66 | 2 |
| 120.80-90-88 | 3 |



TEE

| CODE | BSP" Female | BSP" Female |
|--------------|-------------|-------------|
| 120.80-92-33 | 1 | 1 |
| 120.80-92-55 | 1 1/2 | 1 1/2 |
| 120.80-92-66 | 2 | 2 |



ELBOW

| CODE | BSP" Female | BSP" Female |
|--------------|-------------|-------------|
| 120.80-93-11 | 1/2 | 1/2 |
| 120.80-93-22 | 3/4 | 3/4 |
| 120.80-93-33 | 1 | 1 |
| 120.80-93-55 | 1 1/2 | 1 1/2 |
| 120.80-93-66 | 2 | 2 |



PLUG

| CODE | BSP" Male |
|--------------|-----------|
| 120.80-83-00 | 3/8 |
| 120.80-83-11 | 1/2 |
| 120.80-83-22 | 3/4 |
| 120.80-83-33 | 1 |
| 120.80-83-44 | 1 1/4 |
| 120.80-83-55 | 1 1/2 |
| 120.80-83-66 | 2 |



FILTER

| CODE | DIAM (MM) |
|--------------|-----------|
| 120.81-20-33 | 32 |



DRAIN VALVE (SPRING)

| CODE | DIAM |
|---------------|-------|
| 120.80-96-33 | 32mm |
| 120.80-96-40* | 1 1/4 |



*Without Elbow

PIPE CLAMP WITHOUT CLIP

| CODE | DIAM (MM) |
|--------------|-----------|
| 120.81-10-05 | 12 |
| 120.81-10-00 | 16 |
| 120.81-10-11 | 20 |
| 120.81-10-22 | 25 |
| 120.81-10-33 | 32 |



PIPE CLAMP WITH CLIP

| CODE | DIAM (MM) |
|--------------|-----------|
| 120.81-11-44 | 40 |
| 120.81-11-55 | 50 |
| 120.81-11-66 | 63 |
| 120.81-11-77 | 75 |
| 120.81-11-99 | 90 |
| 120.81-11110 | 110 |
| 120.81-11125 | 125 |
| 120.81-11160 | 160 |



SPACING BLOCK FOR CLAMPS

| CODE | DIAM (MM) |
|--------------|-----------|
| 120.81-08-16 | 16 |
| 120.81-08-20 | 20 |
| 120.81-08-25 | 25 |
| 120.81-08-32 | 32 |
| 120.81-08-40 | 40 |
| 120.81-08-50 | 50 |
| 120.81-08-63 | 63 |
| 120.81-08-75 | 75 |

